

Achilli Products:



TFM

Extremely accurate bridge saw with fixed bridge, suitable for cutting thick slabs

Useful cut: 3100mm (10' 2")

Blades: 400-625mm (16" - 25")

Motor: 3-phase 10HP

<https://www.achilli.com/en/bridge-saw-machines-for-stone/mini-bridge-saw-tfm.html>



TFR-A

Automatic bridge saw with fixed bridge for stone and ceramic slabs

Useful cut: 3300mm (10' 10")

Blades: 250-350mm (10" - 14")

Motor: 3-phase 7HP

<https://www.achilli.com/en/bridge-saw-machines-for-stone/automatic-bench-saw-tfr-a.html>



AFR-A

Motorized bench saw for stone and ceramic slabs

Useful cut: 1000-1500-2000-2500-3000-3300-3500mm (3'3" - 4'11" - 6'6" - 8'2" - 9'10" - 10'10" - 11'5")

Blades: 250-350mm (10"-14")

Motor: 3-phase 7HP

<https://www.achilli.com/en/bridge-saw-machines-for-stone/motorized-bench-saw-afr-a.html>



AFR-C

Manual bench saw for stone and ceramic slabs

Useful cut: 1500-2000-2500-3000-3300mm (4'11" - 6'6" - 8'2" - 9'10" - 10'10")

Blades: 250-350mm (10"-14")

Motor: 3-phase 4HP (optional 1-phase)

<https://www.achilli.com/en/bridge-saw-machines-for-stone/manual-stone-cutting-machine-afr-c.html>



AFR-M

Manual bench saw

Useful cut: 800-1000-1300mm (2'7" – 3'3" – 4'3")

Blades: 250-350mm (10"-14")

Motor: 3-phase 4HP (optional 1-phase)

<https://www.achilli.com/en/stone-cutting-bench-saw/saw-with-manual-head-feed-afr-m.html>



ANR

Portable bench saw for stone and ceramic cutting with an optional device for slab edge profiling and horizontal cutting

Useful cut: 600-800-1000-1300-1500-2000mm (2'-2'7"-3'3"-4'3"-4'11"-6'6")

Blades: 250-350mm (10"-14")

Motor: 1-phase 3HP (optional 3-phase)

<https://www.achilli.com/en/stone-cutting-bench-saw/cutting-and-profiling-machine-anr.html>



TSA

Rail saw

Rail length: 3x1250mm (4'1") – 4000mm (13'1") – 2500mm (8'2")

Blades: 300-350mm (12"-14")

Motor: 1-phase 3HP

<https://www.achilli.com/en/stone-cutting-bench-saw/track-saw-on-mobile-rail-tsa.html>



CMS

Sliding compound miter saw

Max. cutting width: 280mm (11")

Blades: 250-350mm (10"-14")

Motor: 1-phase 230V 3HP or 115V 1.5HP

<https://www.achilli.com/en/stone-cutting-bench-saw/wet-cut-sliding-compound-miter-saw-cms.html>



ARS
Revolving saw

Max. cutting width: 400mm (16") at 45°, 600mm (24") at 90°
Blades: 250-350mm (10"-14")
Motor: 3-phase 7HP

<https://www.achilli.com/en/bridge-saw-machines-for-stone/revolving-saw-ars.html>



TOP
All-in-one machine for countertops: sink cut-outs, shaping and polishing internal and external contours, drilling and performing recess drains.

Motor: 1-phase 4.5HP

<https://www.achilli.com/en/bridge-saw-machines-for-stone/top-manual-working-center.html>



SINK

Simple machine for sink cut-outs. Using shaping wheels, it allows to shape internal edges and process recess drains.

Motor: 1-phase 3HP

<https://www.achilli.com/en/bridge-saw-machines-for-stone/sink-machine-for-sink-cut-outs.html>



SC500-800

Hydraulic and motorized slab cart with lever or pendant control for lifting and positioning slabs onto machines worktable.

SC500 with standard worktop 1380x2000mm (4'6" x 6'6")

SC800 with large worktop 1600x2600mm (5'3" x 8'6")

<https://www.achilli.com/en/machining-centers-and-stone-handling-equipment/slab-trolley-sc500-and-sc800.html>



ADR

Portable bench saw with sliding head for thick building materials.

Useful cut: 1000-1300mm (3'3" – 4'3")

Blades: 650mm (26")

Motor: 3-phase 5.5HP

<https://www.achilli.com/en/stone-cutting-bench-saw/portable-bench-saws-for-blocks-adr.html>



TAG

Portable bench saw with sliding head for tiles, stone slabs and building materials.

Useful cut: 600-800-1000-1300-1500-2000mm (2'-2'7"-3'3"-4'3"-4'11"-6'6")

Blades: 250-350mm (10"-14")

Motor: 1-phase 3HP

<https://www.achilli.com/en/stone-cutting-bench-saw/bench-saw-for-building-materials-tag.html>



ALU:


Portable aluminium bench saw with sliding head for tiles, stone slabs and building materials.

Useful cut: 600-800-1000-1300-1500mm (2'-2'7"-3'3"-4'3"-4'11")

Blades: 250-350mm (10"-14")

Motor: 1-phase 3HP

<https://www.achilli.com/en/stone-cutting-bench-saw/aluminum-bench-saw-alu.html>



AMS

Portable bench saw with sliding head for tiles, stone slabs and building materials

Useful cut: 600-800-1000-1300mm (2'-2'7"-3'3"-4'3")

Blades: 250-350mm (10"-14")

Motor: 1-phase 3HP

<https://www.achilli.com/en/stone-cutting-bench-saw/portable-bench-saw-ams.html>



ATS

Portable tile saw with sliding head

Useful cut: 600-800-1000-1300mm (2'-2'7"-3'3"-4'3")

Blades: 200/300mm (8"/12")

Motor: 1-phase 1.5HP

<https://www.achilli.com/en/stone-cutting-bench-saw/tile-saw-ats.html>



TRT-TL

Portable bench saw with sliding bench for building materials

Useful cut: 600-800mm (2'-2'7")

Blades: 250-350mm (10"-14")

Motor: 1-phase 3HP

<https://www.achilli.com/en/stone-cutting-bench-saw/portable-saw-with-sliding-bench-trt-tl.html>



ATR-XL

Portable saw with sliding bench for thick stone and building materials

Useful cut: 750mm (2'5")

Blades: 650mm (26")

Motor: 3-phase 5.5HP

<https://www.achilli.com/en/stone-cutting-bench-saw/portable-saw-with-sliding-bench-atr-xl.html>



LM30-CE:

Grinding and polishing single phase machine specific for marble, terrazzo, concrete and similar floors.

Motor: 1-phase 3HP

<https://www.achilli.com/en/floor-grinder-polisher/marble-1-phase-floor-grinder-lm30-ce.html>



LM30-VE:

Universal grinding and polishing single phase machine with variable speed for marble, terrazzo, concrete, granite and ceramic tile floors.

Motor: 1-phase 3HP or 4HP

<https://www.achilli.com/en/floor-grinder-polisher/universal-1-phase-floor-grinder-lm30-ve.html>



LUXA

Floor polishing and scrubbing machine for marble, stone, concrete and ceramic tiles, ideal for polishing and maintaining all types of floors.

Motor: 1-phase 2HP or 3HP

<https://www.achilli.com/en/floor-grinder-polisher/luxa-universal-floor-polisher.html>